REFERENCES

1) Srividya B., Rita M.C, Amin P D. (2001) Sustained ophthalmic delivery of ofloxacin from a pH triggered in situ gelling system. Journal of controlled release; 73, 205-211.
2) Satish CS, Satish KP, Shivakumar HG. (2006) Hydrogels as controlled drug delivery systems: synthesis, cross linking, water and drug transport mechanism. Indian journal of pharmaceutical sciences; 68(2) 133-140.
3) ChangYang Gong, Shuai Shi, PengWei ,Dong Bing Kan, MaLing Gou, XianHuo Wang, XingYi Li, Feng Luo, Xia Zhao, YuQuan Wei. (2009) Synthesis and characterization of PEG-PCL-PEG thermo sensitive hydrogel; International Journal of Pharmaceutics. 365, 1-2, 89-99.
4) Cheng-Jun Song, Ying Wang, Chun-Yan Wang, Lei Tian, Yan-Jun Liu, Rui-Bin Zhang. (2008) Preparation and evaluation in vivo of scutellaria thermo sensitive gel; China journal of Chinese materia medica. 33 (6), 628-631.
5) Chunjie Wu, Hongyi Ql, Wenwen Chen, Chunyan Huang, Cheng Su, Wenmin Li. (2007) Preparation and evaluation of a Carbopols/HPMC based in situ gelling ophthalmic system for puerin; YakugAKU Zasshi; 127(1), 183-191.
6) Costa P, Lobo MS. (2001) Modeling and comparison of dissolution profiles. Eur J Pharm Sci; 13:123-33.
7) Ganderton D, Jones T. Drug delivery to the respiratory tract; page 134
8) Deivasigamani K, Mithun B, Vijay PP, Jothivel N, Singaravel S ,Sandeep Sonkar, Thangavel Sivakumar (2008) ; The concept of ocular inserts as drug delivery systems: An overview; Asian journal of pharmaceutics; 2, 4,192-200.
9) Jack Aurora. (2002) Development of Nasal Delivery Systems: A Review; Issue date: 2.
10) Dumortier G, Grossiord JL, Zuber M, Couarraze G, Chaumeil JC. (1991) Rheological study of a thermo reversible morphine gel, Drug development and Industrial pharmacy, 17(9), 1255-1265.
11) Ricci EJ, Lunardi LO, Marchett JM. (2005) Sustained release of lidocaine from poloxamer 407 gels; International journal of pharmaceutics; 288,235-244.
12) Encyclopedia of pharmaceutical technology, volume 2, third edition: edited by James swasrbrick, 1201.

13) Chaibva FA, walkerl RB. (2007) the comparison of invitro release methods for the evaluation of oxytocin release from Pluronic F127 parentral formulation; dissolution technology.

14) Goldberg, Arthur HM, Meyer Ranucci, Joseph A.; Nasal administration of Dextromethorphan; United States Patent 4454140.

15) Madan M., Bajaj A.(2009) *In Situ* Forming Polymeric Drug Delivery Systems, Indian J Pharm Sci. May-Jun; 71(3): 242–251.

16) Kumaresh S. Soppimath, Anandrao R. Kulkarni, Tejraj M. Aminabhavi,(2001) Chemically modified polyacrylamide-g-gaur gum based cross linked anionic microgel as pH sensitive drug delivery systems: preparation and characterization; Journal of controlled release ;75 ; 331-345.

17) R.Yoshida, K.Sakai, T.Okano, Y.Sakarai, Y.H.Bae.S.W.Kim. (1991) surface-modulated skin layer of thermal responsive hydrogels as ON-OFF switches;I.drug release,J.Biomatter.Sci. Polym; 3; 155-162.

18) Ruta Masteikova, Zuzana Chalupova, Zdenka Sklubalova. (2003) stimuli-sensitive hydrogels in controlled and sustained drug delivery; MEDICINA; 39 vol.2.

19) Sindhu Abraham, Sharon Furtado,Bharath S.,Basavaraj BV, Deveswaran R.and Madhavan V.(2009) sustained ophthalmic delivery of ofloxacin from an ion-activated in situ gelling system;Pak.J.Phar.Sci.;vol.22 No2;175-179.

20) Shivanand S. P.Hiremath, Fatima Sanjeri Dasankoppa, Abidabegum (2008) Formulation and evaluation of a novel in situ gum based ophthalmic drug delivery system of linezolid; Sci.Pharm. 76; 515-532.

21) Basavaraj KN, Manvi FV, Manjappa AS. (2007) In situ-forming hydrogels for sustained ophthalmic drug delivery**.** Journal of Controlled Release; 122, 2 , 119-134.

22) Katarina Edsman, Johan Carlfors and Roger Petersson.(1998) Rheological evaluation of poloxamer as an in situ gel for ophthalmic use**;** European Journal of Pharmaceutical Sciences Volume 6, Issue 2, Pages 105-112.

23) Veena S. Belgamwar, Dheeraj S. Chauk, Hitendra S. Mahajan, Snehal A. Jain, Surendra G. Gattani, Sanjay J. Surana.(2009) Formulation and evaluation of in situ gelling system of Dimenhydrinate for nasal administration; Pharmaceutical Development and Technology , Vol. 14, No. 3, Pages 240-248.

24) ZAKI Noha M.; AWAD Gehanne A; MORTADA Nahed D; ABD ELHADY Seham S.(2007) Enhanced bioavailability of Metoclopramide HCl by intranasal administration of a mucoadhesive in situ gel with modulated rheological and mucocilliary transport properties; European journal of pharmaceutical sciences ISSN 0928-0987 , vol. 32,4-5, 296-307.

25) Shozo Miyazaki, Hirotatsu Aoyama, Naoko Kawasaki, Wataru Kubo, David Attwood. (1999) In situ –gelling Gellan formulation as vehicle for oral drug delivery; Journal of Controlled Release; 60; 287-295.

26) Lin HR, Sung KC. (2000) Carbopol/Pluronic phase change solutions for ophthalmic drug delivery; Journal Control Release. Dec 3; 69(3):379-88.

27) Mayol L, Quaglia F, Borzacchiello A, Ambrosio L, La Rotonda MI (2008) A novel Poloxamer/hyaluronic acid in situ forming hydrogel for drug delivery: rheological, mucoadhesive and in vitro release properties; Eur J Pharm Biopharm. 2008 Sep; 70(1):199-206.

28) Zhidong Liu, Jiawai Li,Shufang Nie, Hui Liu.(2006) Study of an alginate/HPMC based in situ gelling ophthalmic delivery system for gatifloxacin ;International journal of pharmaceuticals,31,12-17.

29) Samdar Cohen ,Esther Lobel ,Amira Trevgoda,Yael Peled,(1997) A novel in situ forming ophthalmic drug delivery system from alginates undergoing gelation in the eye; Journal of Controlled release 44; 201-208.

30) Jitendra V. shinde, Kailas K.Mali, Remeth J. Dias, Vijay D. Havaldar and Niranjan S. Mahajan.(2008) Insitu mucoadhesive nasal gels of Metoclopramide HCl :preformulation and formulation studies; Journal of pharmacy research vol.1,45-52.

31) Kun Na, Young-II Jeong, Ki-Young Lee. (1997) Release of indomethacin from pH-sensitive pullulan acetate microsphere; Biotechnology. Bioprocess Eng; 2; 48-52.

32) Yoshie Maitani, Tsuneji Nagai, Kyle Kollias, Nikolas A.Peppas. (1997) design of ocular/lacrimal and nasal systems through analysis of drug administration and absorption; Journal of Controlled release 49; 185-192.

33) Indu Pal Kaur and Meenakshi Kanwar. (2002) Ocular preparation: The formulation approach; Drug delivery and industrial pharmacy; 28(5); 473-493.

34) Manvi FV, Soppimath KS, Gadad AP. (1997) Development and evaluation of Timolol Maleate ocular inserts; Indian drugs, 34(5).

35) Jennifer J.Kang derwent, William F. Mieler (2008) Thermo sensitive hydrogels as a new ocular drug delivery platform to the posterior segment of the eye; Trans.Am. Opthalmol Soc.vol 06.

36) Deepika Aggarwal, Indu PK.(2005) Improved pharmacodynamics of Timolol Maleate from a mucoadhesive niosomal ophthalmic drug delivery system. International journal of pharmaceutics, 290, 155-159.

37) Suketu D. Desai and James Blanchard; invitro evaluation of Pluronic F127 based controlled release ocular delivery systems for pilocarpine. (1998) Journal of pharmaceutical science; vol.87; No.2; 226-230.

38) Sankar Chelladurai, Madhusmita mishra, Brahmeshwar mishra. (2008) Design and evaluation of bioadhesive in situ nasal gel of ketorolac tromethamine; Chem.pharm.Bull.56 (11); 1596-1599.

39) J.Balasubramaniam, Shrikant, Jayanta kumar pandit.(2003) In vitro and in vivo evaluation of the Gelrite Gellan gum –based ocular delivery system for indomethacin; Acta. Pharm.; 53; 251-261.

40) J. Varshosaz, M. Tabbakhian, Z.Salmani. (2008) Designing of a thermo sensitive Chitosan/poloxamer in situ gel for ocular delivery of ciprofloxacin; The Open Drug delivery Journal; 2; 61-70.

41) Witold Musial (2007) The effect of methylcellulose on metronidazole release from polyacrylic acid hydrogels; Chem.Pharm.Bull; 55(8)1141-1147.

42) Armand BP, Jui-Chang WK and McCombs C. (1991) Alginate controlled release formulations of metrobuzin. Journal of controlled release; 17, 105-112.

43) El-Kamel AH (2002). In vitro and in vitro evaluation of Pluronic F 127 based ocular delivery system for Timolol Maleate. International journal of pharmaceutical sciences; 241, 47-55.

44) Yanxia Cao, Can Zhang, Wenbin Shen, Zhizong Cheng, Liangli Yu.(2007) Poly(N-isopropylacrlamide)-Chitosan as thermo sensitive in Insitu gel-forming system for ocular drug delivery, Journal of Controlled release 120,186-194.

45) Kouji Nakamura, Yoshie Maitani, Anthony M. Lowman, Kozo Takayama, Nicholas A. Peppas, T. Nagai. (1999) Uptake and release of budesonide from mucoadhesive, pH-sensitive copolymers and their application to nasal delivery; journal of controlled release; 61; 329-335.
46) Sandeep kumar, Kenneth J. Himmelstein. (1995) Modification of Insitu gelling behavior of Carbopols solutions by hydroxypropyl methylcellose, Journal of pharmaceutical sciences, volume 84, no.3.
47) Tanaji Nandgude, Rahul Thube, Nitin Jaiswal, Pradip Deshmukh, Vivek Chatap, Nitin Hire. (2008) Formulation and evaluation of pH induced In-Situ Nasal Gel of salbutamol sulphate; International journal of pharmaceutical sciences and nanotechnology; volume1; issuse2.
48) Yeshwant D. Sanzgiri, Sergio Maschi, Vittorio Crescenzi, Lanfranco Callegaro, Elizabeth M.Topp and Valentino J.Stella. (1993) Gellan based systems for ophthalmic sustained delivery of Methylprednisolone; Journal of controlled release, 26; 195-201.

Dr. Rahul Mayee
Principal, Dr. Ved Prakash Patil Pharmacy College,
Georai Tanda, Aurangabad (MS)

Nawale Roshan Murlidhar
Research Scholar
M.Pharm. (Pharmaceutics)